Underwriters Laboratories Inc.®

333 Pfingsten Road
Northbrook, IL 60062-2096 USA
www.ul.com
tel: 1 847 272 8800
fax: 1 847 272 8129
Customer service: 1 877 854 3577

File R22199 Vol 1 Issued: 2006-08-01
Revised:

FOLLOW-UP SERVICE PROCEDURE
(TYPE R)

FOAMED PLASTIC
(BRYX)
****
Complementary Product Category
POLYSTYRENE THERMAL INSULATION, RIGID CELLULAR
(QORW)

Manufacturer: (568180-001) VERSA-TECH INC
701 SARGENT LN
FREDERICKTOWN MO 63645

Applicant: (568180-001) SAME AS MANUFACTURER

Classified Company: (568180-001) SAME AS MANUFACTURER

This Procedure authorizes the above manufacturer to use the marking specified by Underwriters Laboratories Inc. only on products covered by this Procedure, in accordance with the applicable Follow-Up Service Agreement.

The prescribed Mark or Marking shall be used only at the above manufacturing location on such products which comply with this Procedure and any other applicable requirements.

The Procedure contains information for the use of the above named Manufacturer and representatives of Underwriters Laboratories Inc. and is not to be used for any other purpose. It is lent to the Manufacturer with the understanding that it is not to be copied, either wholly or in part, and that it will be returned to Underwriters Laboratories Inc. upon request.

This PROCEDURE, and any subsequent revisions, is the property of UNDERWRITERS LABORATORIES INC. and is not transferable.

UNDERWRITERS LABORATORIES INC.

Sajeev Jesudas
Chief Operating Officer